

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Crude MCHM

Product No.: EAN 972790. 18717-00, P1871700, P18717EA, P18717ET, P18717YZ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Industrial chemical, gasoline blending

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

1.4 Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

WARNING!
HARMFUL IF SWALLOWED
CAUSES SKIN AND EYE IRRITATION
AT ELEVATED TEMPERATURES, VAPOR MAY CAUSE IRRITATION OF EYES AND RESPIRATORY TRACT

SECTION 3: Composition/information on ingredients

3.1 / 3.2 Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification		Notes
4-methylcyclohexanemethanol	68 - 89%	CAS-No.: 34885-03-5 EC No.: 609-038-8		
4- (methoxymethyl)cyclohexanemet hanol	4 - 22%	CAS-No.: 98955-27-2	7	

©COPYRIGHT 2011 BY EASTMAN CHEMICAL COMPANY

1/14

water	4 - 10%	CAS-No.: 7732-18-5 EC No.: 231-791-2	
methyl 4- methylcyclohexanecarboxylate	5%	CAS-No.: 51181-40-9	
dimethyl 1,4- cyclohexanedicarboxylate	1%	CAS-No.: 94-60-0 EC No.: 202-347-5	
methanol	1%	CAS-No.: 67-56-1 EC No.: 200-659-6 INDEX No.: 603-001-00-X	#
1,4-cyclohexanedimethanol	1 - 2%	CAS-No.: 105-08-8 REACH Registration No.: 01-2119448337-34-0000 01-2119448337-34-0002	#

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:

Treat symptomatically. Move to fresh air. Get medical attention if symptoms

persist.

Eye contact:

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention. In case of irritation from airborne exposure, move to fresh air. Get medical attention if symptoms

persist.

Skin contact:

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash contaminated clothing before reuse. Destroy or

thoroughly clean contaminated shoes.

Ingestion:

Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. Not relevant, due to the form of the product.

4.2 Most important symptoms and effects, both acute and delayed:

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards:

No data available.

Treatment:

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards:

None known.

[#] This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

5.1 Extinguishing media

Suitable extingishing

media:

Water spray. Dry chemical. Carbon Dioxide. Alcohol foam.

Unsuitable extinguishing

media:

None known.

5.2 Special hazards arising from the substance or

mixture:

None known.

5.3 Advice for firefighters

Special Fire Fighting

Procedures:

Fight fire from a protected location.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Wear appropriate personal protective equipment.

6.2 Environmental precautions:

Avoid release to the environment.

6.3 Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Large Spillages: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for later

disposal.

Notification Procedures:

In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Avoid breathing vapor from heated material. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Use only with adequate ventilation.

Wash thoroughly after handling.

7.2 Conditions for safe storage, including any

incompatibilities:

Keep container closed. Keep away from food, drink and animal

feedingstuffs.

7.3 Specific end use(s):

Industrial chemical, gasoline blending

(b) (7)(C)
RP1581, 8/7/14

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If exposure limits have not been established, maintain airborne levels to an acceptable level.

Chemical name	Туре	Exposure Limit values	Source
methanol	TWA	200 ppm	US. ACGIH Threshold Limit Values (01 2010)
	STEL	250 ppm	US. ACGIH Threshold Limit Values (01 2010)
	PEL	200 ppm 260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Biological limit values

Chemical name	Exposure Limit values	Source
methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEL (01 2010)

8.2 Exposure controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information:

Eve bath. Safety shower. Washing facilities.

Eve/face protection:

Wear safety glasses with side shields (or goggles). Wear a full-face

respirator, if needed.

Skin protection

Hand protection:

Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Other:

No data available.

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Airpurifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

EASTMAN

SDSUS / EN / 05 Version: 2.0 Revision date: 08/18/2011 Initiator: 0001 150000014291

Hygiene measures:

Observe good industrial hygiene practices.

Environmental Controls:

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical State:

Form:

Color: Odor:

Odor Threshold:

Freezing Point: **Boiling Point:**

Flash Point:

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%)-: Flammability Limit - Lower (%)-:

Vapor pressure:

Vapor density (air=1):

Relative density:

Solubility(ies)

Solubility in Water:

Solubility (other):

Partition coefficient (n-octanol/water):

Autoignition Temperature: **Decomposition Temperature:**

Viscosity: **Explosive properties:**

Oxidizing properties:

Liquid

Liquid

Colorless Alcohol

No data available.

No data available.

0°C

180 °C

112.8 °C (Setaflash Closed Cup)

No data available. No data available.

No data available. No data available.

No data available.

No data available.

< 1 (estimated)

Appreciable

No data available.

No data available.

No data available.

Thermal stability not tested. Low stability hazard expected at normal operating temperatures.

No data available.

No data available.

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:

Materials containing similar structural groups are normally stable.

10.2 Chemical stability:

Not fully evaluated.

10.3 Possibility of hazardous

reactions:

None known.

10.4 Conditions to avoid:

Excessive heat.

©COPYRIGHT 2011 BY EASTMAN CHEMICAL COMPANY

5/14



10.5 Incompatible materials:

Strong oxidizing agents.

10.6 Hazardous decomposition

products:

Carbon Dioxide. Carbon Monoxide.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation:

At elevated temperatures, vapor may cause irritation of eyes and

respiratory tract.

Ingestion:

Harmful if swallowed.

Skin contact:

Causes skin irritation.

Eye contact:

Causes serious eye irritation.

11.1 Information on toxicological effects

Acute Toxicity

Oral

Product:

Oral LD-50: (Rat): 825 mg/kg

Dermal

Product:

Dermal LD-50: (Rat): > 2,000 mg/kg

Inhalation

Product:

No data available.

Specified substance(s)

No data available.

methylcyclohexanemethanol

4-

No data available.

(methoxymethyl)cyclohexan

emethanol water

No data available.

methyl 4-

No data available.

methylcyclohexanecarboxyl ate

No data available.

dimethyl 1,4-

cyclohexanedicarboxylate

No data available.

methanol

LC50 (Rat, 6 h): > 3 mg/l (highest concentration tested)

1,4-cyclohexanedimethanol

Product:

No data available.

Specified substance(s)

Repeated dose toxicity

4-

No data available.

methylcyclohexanemethanol

4-

No data available.

EASTWAN

SDSUS / EN / 05 Version: 2.0 Revision date: 08/18/2011 Initiator: 0001 150000014291

(methoxymethyl)cyclohexan

emethanol

water

No data available. No data available.

methyl 4-

methylcyclohexanecarboxyl

ate

No data available.

dimethyl 1,4-

cyclohexanedicarboxylate

No data available.

methanol

1,4-cyclohexanedimethanol

NOEL - No Observable Effect Level (Rat, in drinking water, 90 d): 8000 mg/l

Skin corrosion/irritation:

Product:

(Rabbit, 24 h): strong

Serious eye damage/eye

irritation:

Product:

(Rabbit): moderate

Respiratory or skin sensitization:

Product:

Skin Sensitization:, (Guinea Pig) - Not a skin sensitizer.

Germ cell mutagenicity

In vitro

Product:

No data available.

Specified substance(s)

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

emethanol

water

No data available.

methyl 4-

methylcyclohexanecarboxyla

No data available.

cyclohexanedicarboxylate

dimethyl 1,4-

No data available

methanol

No data available.

1,4-cyclohexanedimethanol

Mutagenicity - Bacterial, : negative +/- activation Mutagenicity - Mammalian, : negative +/- activation Chromosomal abberation, : negative +/- activation

In vivo

Product:

No data available.

Specified substance(s)

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

emethanol

water

No data available.

©COPYRIGHT 2011 BY EASTMAN CHEMICAL COMPANY

7/14



methyl 4methylcyclohexanecarboxyla
te

dimethyl 1,4cyclohexanedicarboxylate
methanol

1,4-cyclohexanedimethanol

No data available.

No data available.

No data available.

Carcinogenicity Product:

No data available.

No data available.

Specified substance(s)

methylcyclohexanemethanol
4- No data available.

(methoxymethyl)cyclohexan emethanol

water No data available.
methyl 4- No data available.
methylcyclohexanecarboxyla

dimethyl 1,4cyclohexanedicarboxylate

methanol No data available.

1,4-cyclohexanedimethanol

No data available.

No data available.

Reproductive toxicity Product:

No data available.

Specified substance(s)

4- No data available.
methylcyclohexanemethanol
No data available.

(methoxymethyl)cyclohexan emethanol

water No data available.
methyl 4methylogoloboxapacarboxala

methylcyclohexanecarboxyla te

dimethyl 1,4cyclohexanedicarboxylate

methanol No. 1,4-cyclohexanedimethanol No.

No data available.

No data available. No data available.

Specific target organ toxicity - single exposure
Product: No data available.

Specified substance(s)

4- No data available. methylcyclohexanemethanol

4- No data available. (methoxymethyl)cyclohexan

emethanol

EASTMAN

SDSUS / EN / 05 Version: 2.0 Revision date: 08/18/2011 Initiator: 0001 150000014291

water

No data available.

methyl 4-

No data available.

methylcyclohexanecarboxyla

dimethyl 1,4-

No data available.

cyclohexanedicarboxylate

No data available.

1,4-cyclohexanedimethanol

No data available.

Specific target organ toxicity - repeated exposure

Product:

No data available.

Specified substance(s)

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

emethanol

water

No data available.

methyl 4-

dimethyl 1,4-

methanol

No data available.

methylcyclohexanecarboxyla

No data available.

cyclohexanedicarboxylate

No data available.

1,4-cyclohexanedimethanol

No data available.

Aspiration hazard

Product:

No data available.

Specified substance(s)

4-

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

emethanol

No data available.

methyl 4-

No data available.

methylcyclohexanecarboxyla

water

dimethyl 1,4-

No data available.

cyclohexanedicarboxylate methanol

No data available.

1,4-cyclohexanedimethanol

No data available.

Other adverse effects:

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

©COPYRIGHT 2011 BY EASTMAN CHEMICAL COMPANY

9/14



Fish

Product:

LC-50 (Fathead Minnow, 96 h): 57.4 mg/l NOEC: (Fathead Minnow, 96 h): 25 mg/l

Aquatic invertebrates

Product:

EC-50 (daphnid, 48 h): 98.1 mg/l NOEC: (daphnid, 48 h): 40 mg/l

Chronic Toxicity

Fish

Product:

No data available.

Specified substance(s)

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

emethanol

No data available.

methyl 4-

methylcyclohexanecarboxyl

water

No data available.

ate

dimethyl 1,4-

methanol

No data available.

cyclohexanedicarboxylate

No data available.

1,4-cyclohexanedimethanol

No data available.

Aquatic invertebrates

Product:

No data available.

Specified substance(s)

4-

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

emethanol

No data available.

water methyl 4-

No data available.

methylcyclohexanecarboxyl

No data available.

dimethyl 1,4cyclohexanedicarboxylate

methanol

No data available.

1,4-cyclohexanedimethanol

No data available.

Toxicity to Aquatic Plants

Product:

No data available.

Specified substance(s)

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

EASTMAN

SDSUS / EN / 05 Version: 2.0 Revision date: 08/18/2011 Initiator: 0001 150000014291

emethanol

water

No data available. No data available.

methyl 4-

methylcyclohexanecarboxyl

dimethyl 1,4-

No data available.

cyclohexanedicarboxylate

methanol

No data available.

1,4-cyclohexanedimethanol

EC-50 (Alga, 72 h): > 122.9 mg/l (only concentration tested) NOEC: (Alga, 72 h): >= 122.9 mg/l (only concentration tested)

12.2 Persistence and degradability

Biodegradation

Product:

No data available.

Specified substance(s)

No data available.

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

emethanol

water

No data available. No data available.

methyl 4-

methylcyclohexanecařboxyla

dimethyl 1,4-

No data available.

cyclohexanedicarboxylate

methanol

No data available.

1,4-cyclohexanedimethanol

99.2 % (28 d, Ready Biodegradability: DOC Die Away Test) Readily biodegradable

Biological Oxygen Demand:

Product

BOD-5: 70 mg/g BOD-20: 1,300 mg/g

Chemical Oxygen Demand:

Product

2,450 mg/g

BOD/COD ratio

Product

No data available.

Specified substance(s)

methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexan

No data available.

emethanol water

No data available.

methyl 4-

No data available.

methylcyclohexanecarboxyla

dimethyl 1,4-

cyclohexanedicarboxylate

No data available.

methanol

No data available.

©COPYRIGHT 2011 BY EASTMAN CHEMICAL COMPANY

11/14



1,4-cyclohexanedimethanol

No data available.

12.3 Bioaccumulative potential

Product:

No data available.

Specified substance(s)

4-

No data available.

methylcyclohexanemethanol

4-

No data available.

No data available. No data available.

(methoxymethyl)cyclohexan

emethanol

methyl 4-

methylcyclohexanecarboxyla

dimethyl 1,4cyclohexanedicarboxylate

methanol

1,4-cyclohexanedimethanol

No data available.

No data available.

No data available.

12.4 Mobility in soil:

No data available.

Known or predicted distribution to environmental compartments

4-methylcyclohexanemethanol

No data available.

No data available. (methoxymethyl)cyclohexanem

ethanol

water

No data available.

methyl 4-

No data available.

methylcyclohexanecarboxylate

dimethyl 1,4-

No data available.

cyclohexanedicarboxylate methanol

No data available.

1,4-cyclohexanedimethanol

0.499 - 1.6 (QSAR model)

12.5 Results of PBT and vPvB assessment:

No data available.

4-methylcyclohexanemethanol

No data available.

(methoxymethyl)cyclohexanem

No data available.

ethanol

No data available.

water methyl 4-

No data available.

methylcyclohexanecarboxylate

dimethyl 1,4-

No data available.

cyclohexanedicarboxylate

No data available.

methanol

Not fulfilling PBT

1,4-cyclohexanedimethanol

(persistent/bioaccumulative/toxic) criteria

12.6 Other adverse effects:

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:

No data available.

Disposal Methods:

Dispose of waste and residues in accordance with local authority requirements. Mix with compatible chemical which is less flammable and incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on

ignition; do not cut, drill, grind, or weld on or near this container.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class not regulated

IMDG - International Maritime Dangerous Goods Code Class not regulated

IATA

Class not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: controlled

WHMIS (Canada) Hazard Classification: D/2/B

©COPYRIGHT 2011 BY EASTMAN CHEMICAL COMPANY

(b) (7)(C) RPIC81, 8/7/14



SARA 311-312 Hazard Classification(s):

immediate (acute) health hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List METHANOL

OSHA: hazardous

TSCA (US Toxic Substances Control Act): All components of this product are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): One or more components of this product are not listed on the DSL. In Canada, its use is restricted to research and development purposes only.

MITI (Japanese Handbook of Existing and New Chemical Substances): One or more components or reactants of this product are not listed in the Handbook. In Japan, its use is restricted to research and development purposes only.

ECL (Korean Toxic Substances Control Act): One or more components of this product are not listed on the Korean inventory. In Korea, its use is restricted to research and development purposes only.

SECTION 16: Other information

HMIS® Hazard Ratings:

Health - 2, Flammability - 1, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information:

Not relevant.

Key literature references and

No data available.

sources for data: Training information:

No data available.

Issue Date: SDS No:

08/18/2011

Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent

determination of the methods to safeguard workers and the environment.



Preparation date: October 15, 2013

Page 1 of 7

SECTION 1 . CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SDS REVISION #: 001

PRODUCT IDENTIFIER:

PPH, stripped

OTHER IDENTIFIERS:

None

CHEMICAL FORMULA:

Complex mixture

5.6% in MCHM

RELEVANT USES:

Mineral flotation

DISTRIBUTED BY:

Freedom Industries, Inc. 1015 Barlow Drive

Charleston, WV 25311

PHONE NUMBERS:

Business - (304) 720-8065 (business hours)

CHEMTREC - (800) 424-9300 (transportation emergencies)

SECTION 2 - HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Serious eye irritation (Category 2) Skin irritation (Category 2)

SIGNAL WORD:

Warning!



Causes skin irritation and serious eye irritation.

PRECAUTIONARY STATEMENTS:

Prevention

Wear protective gloves, eye protection and face protection. Wash exposed areas thoroughly after handling.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Section 2 continued on next page





Preparation date: October 15, 2013

Page 2 of 7

SECTION 2 - HAZARDS IDENTIFICATION (continued)

PRECAUTIONARY STATEMENTS (continued):

Storage

Not applicable

Disposal

Not applicable

HAZARDS NOT OTHERWISE CLASSIFIED: None

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Component

<u>%</u>

CAS No.

Polyglycol ethers

100

Proprietary*

SECTION 4 - FIRST AID MEASURES

IN CASE OF EYE CONTACT:

Immediately flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses, if present and easy to do. Get immediate medical attention. Do not use chemical antidote.

IN CASE OF SKIN CONTACT:

Wash exposed area with soap and water. Remove contaminated clothing and launder before reuse.

IF SWALLOWED:

If conscious, immediately give two large glasses of water. Call a physician. Never give anything by mouth to an unconscious person.

IF INHALED:

If affected, move to fresh air. If breathing is difficult, contact a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS:

Contact with skin or eyes causes irritation, which may be severe, especially in sensitive individuals.

NOTE TO PHYSICIAN:

Treat symptomatically.

^{*}The specific chemical identity is being withheld as "trade secret" in accordance with 29 CFR 1910.1200(i)



Preparation date: October 15, 2013

Page 3 of 7

SECTION 5 . FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

This material is not easily ignited, but will burn if heated sufficiently. It meets the OSHA definition of a Class IIIB – combustible liquid.



EXTINGUISHING MEDIA:

Use water fog, alcohol-resistant foam or dry chemical or carbon dioxide.

PROTECTION OF FIREFIGHTERS:

Keep personnel removed from and upwind. Wear full protective clothing and self-contained breathing apparatus with full face-piece. Cool containers with water. Water or foam may cause frothing which can be violent, especially if sprayed into containers of hot, burning liquid.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES:

Persons not wearing protective equipment should be excluded from the area of the spill until cleanup has been completed.

CONTAINMENT & CLEAN-UP:

Dike area of spill to prevent spreading and pump liquid to salvage tank. Absorb remaining liquid on vermiculite, floor absorbent or other absorbent material and shovel into containers.

SECTION 7 - HANDLING AND STORAGE

HANDLING:

Avoid contact with skin, eyes and clothing. Avoid inhalation of vapors. Wash thoroughly after handling.

STORAGE:

Keep in closed or covered containers when not in use. Store in cool dry place with adequate ventilation. Do not store near strong oxidizing materials.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

Not established for product or components

Section 8 continued on next page





Preparation date: October 15, 2013

Page 4 of 7

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION (continued)

ENGINEERING CONTROLS:

Provide sufficient ventilation to maintain exposure below level of overexposure.

EYE / FACE PROTECTION:

Chemical splash goggles, in compliance with OSHA regulations, are advised.

SKIN PROTECTION:

Wear protective gloves such as Neoprene or Buna-N.

RESPIRATORY PROTECTION:

Not required under normal conditions of use; however, a NIOSH/MSHA supplied air respirator or canister-type respirator equipped with organic vapor cartridge is recommended if there is insufficient ventilation to maintain exposures below established exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless or yellow liquid @

68° F (20° C) **Odor:** Mild

pH: Unavailable

Freezing Point: <32° F (0° C) Initial Boiling Point: ~477° F (247° C) Flash Point: >253° F (123° C) PMCC

Evaporation Rate: Slower (Ethyl Ether = 1)

Upper Explosion Limit: Unavailable

Lower Explosion Limit: Unavailable

Vapor Pressure: Unavailable

Vapor Density: Heavier

Relative Density: ~1.06 @ 68° F (20° C)

Weight per Gallon: ~8.84 Solubility in Water: ~2% Volatile %: >95% VOC %: Unavailable)

Autoignition Temperature: Unavailable Decomposition Temperature: Unavailable

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY:

Reacts violently with strong oxidizers

STABILITY:

Stable under normal conditions of 70° F (21° C) and 14.7 psig (760 mm Hg).

POSSIBILITY OF HAZARDOUS REACTIONS:

Avoid contact with strong oxidizers

CONDITIONS TO AVOID:

None anticipated under normal conditions of use

Section 10 continued on next page





Preparation date: October 15, 2013

Page 5 of 7

SECTION 10 - STABILITY AND REACTIVITY (continued)

INCOMPATIBILE MATERIALS:

Avoid contact with strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS:

Not anticipated under normal conditions of use.

DECOMPOSITION:

Unknown

SECTION 11 - TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE:

Skin and eye contact and inhalation

SYMPTOMS:

Eyes: Symptoms include pain and redness.

Skin: Redness

Breathing: Symptoms include irritation of respiratory tract.

Swallowing: Nausea

EFFECTS FROM EXPOSURE:

Immediate: Causes serious irritation to the eyes. May cause skin irritation. Harmful if

swallowed.

Delayed: None known

Chronic: None known

TOXICITY DATA:

Acute oral LD₅₀ (rat) – >2000 mg/kg (for majority component)

Dermal LD₅₀ (rat) - greater than 2000 mg/kg (for majority component)

CARCINOGENICITY

This product is not reported to have any carcinogenic effects. This product (or components) is not listed in IARC Monographs, the current NTP Report on Carcinogens or the current ACGIH TLVs as a carcinogen or potential carcinogen. OSHA does not regulate it as a carcinogen.





Preparation date: October 15, 2013

Page 6 of 7

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY:

No data available

PERSISTENCE AND BIODEGRADABILITY

No data available for product

BIOACCUMULATIVE POTENTIAL:

No data available

MOBILITY IN SOIL:

No data available

OTHER ADVERSE EFFECTS:

No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

Incineration is the recommended disposal method for all chemical wastes. Material collected on absorbent material may be deposited in a landfill in accordance with all applicable local, state and federal regulations.

This product, if disposed of, is not considered a hazardous waste under current RCRA definitions.

SECTION 14 - TRANSPORT INFORMATION

Not regulated under current U.S DOT, TDG (Canadian), ICAO (air) or IMO (water) transport regulations.

SECTION 15 - REGULATORY INFORMATION

TSCA INFORMATION:

All components in this product are in compliance with TSCA Inventory requirements.

SARA:

CERCLA/SARA 302: None CERCLA/SARA 311/312: Acute CERCLA/SARA 313: None



Preparation date: October 15, 2013

Page 7 of 7

SECTION 16 - OTHER INFORMATION

PREPARATION DATE: October 15, 2013

SUPERCEDES: Not applicable REASON FOR REVISION: New SDS

The product information contained herein is believed to be accurate as of the date of the Safety Data Sheet, and is provided without warranty, expressed or implied, as to the results of use of this information or the product to which it relates. Recipient assumes all responsibility for the use of this information and the use (alone or in combination with any other product), storage or disposal of the product, including any resultant personal injury or property damage.

END OF REPORT

United States of America Environmental Protection Agency				
A FAX FROM	•			
TO:	FAX NO.:			
	(989)638-9863			
SUBJECT: Reccipt of Dowon	ol PPh			
FROM: (b) (7)(C)	PHONE NO.: (b) (7)(C), (b) (6)			
OFFICE: US EPA / NEIC/Lob Brownel	FAX NO. FOR:			
COMMENTS:				
Everything arrived into	hank you!			
(6	(7)(C)			
DATE and TIME:	NO. of PAGES:			
5/19/14 @ 9:33 am (b) (7)(c) 2 (includes cover)				

RECORD OF CUSTODY

TEST MATERIAL NAME: DOWANOLTM PPh
LOT NUMBER: 2I0501GIA0
PHYSICAL STATE: Liquid
STORAGE CONDITIONS: Ambient
AMOUNT SUBMITTED: 25.34 g (net)
(b) (7)(c)
(b) (7)(C) SENT BY: DATE:
RECEIVED BY: _ DATE: _5-/5-19
PRINTED NAME:

KEEP THE SIGNED ORGINAL FOR YOUR RECORDS AND RETURN A VERIFIED EXACT COPY TO:

(b) (7)(C)

Dow Chemical Company 1803 Building Midland, MI 48674 Phone (989)638-7032 FAX (989)638-9863 Sample Distribution Chain of Custody

Sample Distribution Chain of Custody				
Submitter (Signature / Date)	Receiver (Signature / Date)	Amount (Weight or Volume)		

Analyst: Keep original with raw data.

Certificate 6329745

The Dow Chemical Company

Page

1

Date: 10/15/2013

Certificate of Analysis

Cust P.O.: 48259

Dlvy Note: 72258667 10

Cust Ref:

Order No.: 19026078

Material: DOWANOL* PPH GLYCOL ETHER

Cust Mtl:

Batch:

2I0501GIA0

Vehicle:

(B) Ship from: THE DOW CHEMICAL COMPANY

DEER PARK

TX UNITED STATES

This material meets the requirements of the specification.


Feature	Units	Result 2I050	s)1GIA0	Limi Minimum	ts Maximum	Met	chod
Assay Phenol Di-PPH as Dipropylene	-	Phenyl		99.5 	200 0.10	DOWM	100205 100205 100205
Water Color Pt-Co Appearance	% wt -	Da	0.01 5 usses			ASTM	D5386

Product conforms to the following typical properties: Specific Gravity @ 20/20 degC 1.045-1.075 ASTM D4052 g:

Quality Coordinator Oxide Derivatives

For inquiries please contact Customer Service at 1-800-232-2436 (USA).

Trademark of The Dow Chemical Company





Material Safety Data Sheet

The Dow Chemical Company

Product Name: DOWANOL* PPH GLYCOL ETHER

Issue Date: 02/11/2013 Print Date: 14 Oct 2013

The Dow Chemical Company encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

Product and Company Identification 1.

Product Name

DOWANOL* PPH GLYCOL ETHER

COMPANY IDENTIFICATION

The Dow Chemical Company 2030 Willard H. Dow Center Midland, MI 48674 **United States**

Customer Information Number:

800-258-2436

SDSQuestion@dow.com

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: **Local Emergency Contact:**

989-636-4400 989-636-4400

Hazards Identification

Emergency Overview Color: colourless Physical State: Liquid.

Odor: Very slight Hazards of product:

WARNING! Causes eye irritation. Isolate area.

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: May cause severe eye irritation. May cause slight comeal injury. Skin Contact: Prolonged contact may cause slight skin irritation with local redness.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

@(TM)*Trademark

Page 1 of 8

Issue Date: 02/11/2013

Inhalation: At room temperature, vapors are minimal due to low volatility. Vapor from heated material or mist may be hazardous on single exposure. For respiratory irritation and narcotic effects: No relevant data found.

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

Aspiration hazard: Based on physical properties, not likely to be an aspiration hazard.

Birth Defects/Developmental Effects: Has caused birth defects in laboratory animals only at doses toxic to the mother.

3. Composition Information

Component	CAS#	Amount
Propylene glycol phenyl ether	770-35-4	> 99.5 %

4. First-aid measures

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment. Inhalation: Move person to fresh air; if effects occur, consult a physician.

Skin Contact: Wash skin with plenty of water.

Eye Contact: Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.

Ingestion: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of Immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

Fire Fighting Measures

Suitable extinguishing media

Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (Including AFFF) or protein foams may function, but will be less effective. Water fog, applied gently may be used as a blanket for fire extinguishment.

Extinguishing Media to Avoid: Do not use direct water stream. May spread fire.

Special hazards arising from the substance or mixture

Page 2 of 8

Issue Date: 02/11/2013

Hazardous Combustion Products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide. Carbon dioxide. Unusual Fire and Explosion Hazards: Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Water fog, applied gently may be used as a blanket for fire extinguishment.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (Includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Accidental Release Measures 6.

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to Section 7, Handling, for additional precautionary measures.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Small spills: Absorb with materials such as: Sand. Vermiculite. Collect in suitable and properly labeled containers. Large spills: Contain spilled material if possible. Pump into sultable and properly labeled containers. See Section 13, Disposal Considerations, for additional information.

7. Handling and Storage

Handling

General Handling: Do not get in eyes. Avoid contact with skin and clothing. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Other Precautions: Spills of these organic materials on hot fibrous insulations may lead to lowering of the autoignition temperatures possibly resulting in spontaneous combustion.

Storage

Store in the following material(s): Carbon steel. Stainless steel. Phenolic lined steel drums. Do not store in: Aluminum. Copper. Galvanized iron. Galvanized steel.

Shelf life: Use within, Metal drums. 24 Months

Bulk 6 Months

Exposure Controls / Personal Protection

Exposure Limits

None established

Page 3 of 8

Personal Protection

Eye/Face Protection: Use chemical goggles.

Skin Protection: Wear clean, body-covering clothing.

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"), Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Issue Date: 02/11/2013

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. Use an approved air-purifying respirator when vapors are generated at increased temperatures or when dust or mist is present. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Engineering Controls

Ventilation: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Appearance

Physical State Color

Odor Threshold

рH

Odor

Melting Point Freezing Point

Boiling Point (760 mmHg) Flash Point - Closed Cup

Evaporation Rate (Butyl

Acetate = 1)

Flammability (solid, gas)

Flammable Limits In Air

Vapor Pressure Vapor Density (air = 1)

Specific Gravity (H2O = 1) Solubility in water (by

weight)

Partition coefficient, noctanol/water (log Pow)

Autoignition Temperature Decomposition

Temperature

Dynamic Viscosity Kinematic Viscosity Explosive properties

Oxidizing properties

Liquid. colourless Very slight

No test data available No test data available

11 °C (52 °F) Literature 11 °C (52 °F) Literature 241.2 °C (466.2 °F) Literature . 115 °C (239 °F) Literature

No test data available

No

Lower: 0.8 %(V) Literature Upper: Not determined 0.01 hPa @ 20 °C Literature

5.27 Literature

1.060 20 °C/20 °C ASTM D4052 15.1 g/l @ 20 °C Literature

1.41 Measured

Not explosive

1,013 hPa 480 °C (896 °F) Literature No test data available

22.7 mPa.s @ 25 °C Literature

22.7 mPa.s & 25 °C Litera 21.4 mm2/s *Literature*

No

Page 4 of 8

Product Name: DOWANOL* PPH GLYCOL ETHER

Liquid Density Molecular Weight Surface tension

8.83 lb/gal @ 25 °C Literature No test data available

67.8 mN/m @ 20 °C Literature

Henry's Law Constant (H)

4.41E-07 atm*m3/mole; 25 °C Estimated.

Issue Date: 02/11/2013

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Thermally stable at typical use temperatures.

Possibility of hazardous reactions

Polymerization will not occur.

Conditions to Avoid: Do not distill to dryness. Product can oxidize at elevated temperatures.

Incompatible Materials: Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Aldehydes. Ketones. Organic acids.

Toxicological Information 11.

Acute Toxicity

Ingestion

LD50, rat > 2,000 mg/kg

Dermal

LD50, rat > 2,000 mg/kg

Inhalation

No deaths occurred following exposure to a saturated atmosphere. , 4 h, Aerosol, rat 5.4 mg/l

Eye damage/eye irritation

May cause severe eye irritation. May cause slight comeal injury.

Skin corrosion/irritation

Prolonged contact may cause slight skin irritation with local redness.

Sensitization

Skin

Did not cause allergic skin reactions when tested in guinea pigs.

Respiratory

No relevant data found.

Repeated Dose Toxicity

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Chronic Toxicity and Carcinogenicity

No relevant data found.

Developmental Toxicity

Has caused birth defects in laboratory animals only at doses toxic to the mother.

Reproductive Toxicity

In animal studies, did not interfere with reproduction.

Genetic Toxicology

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were predominantly negative.

Page 5 of 8

Issue Date: 02/11/2013

12. **Ecological Information**

Toxicity

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, Pimephales promelas (fathead minnow), static test, 96 h: 280 mg/l

Aquatic Invertebrate Acute Toxicity

LC50, Daphnia magna (Water flea), static test, 48 h, survival: 370 mg/l

Aquatic Plant Toxicity

EC50, Desmodesmus subspicatus (green algae), static test, Growth rate inhibition, 72 h: > 100 mg/l

Persistence and Degradability

Material is readily blodegradable. Passes OECD test(s) for ready blodegradability. Blodegradation rate may increase in soil and/or water with acclimation.

OECD Biodegradation Tests:

Biod	egradation	Exposure Time	Method	10 Day Window	
	72 %	28 d	28 d OECD 301F Test		
Indirec	Indirect Photodegradation with OH Radicals				
	Rate Constant	Atmosphe	ric Half-life	Method	
	3.72E-11 cm3/s		3.5 h		
Theoretical Oxygen Demand: 2.31 mg/mg					

Bioaccumulative potential

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient, n-octanol/water (log Pow): 1.41 Measured

Mobility in soil

Mobility in soil: Potential for mobility in soil is very high (Koc between 0 and 50). Partition coefficient, soil organic carbon/water (Koc): 19 - 21 Estimated. Henry's Law Constant (H): 4.41E-07 atm*m3/mole; 25 °C Estimated.

13. Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device.

Page 6 of 8

Product Name: DOWANOL* PPH GLYCOL ETHER

Issue Date: 02/11/2013

14. Transport Information

DOT Non-Bulk NOT REGULATED

DOT Bulk

NOT REGULATED

IMDG

NOT REGULATED

ICAO/IATA

NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard Yes

Delayed (Chronic) Health Hazard No

Fire Hazard No

Reactive Hazard No

Sudden Release of Pressure Hazard No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1988)
This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

US. Toxic Substances Control Act

All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements under 40 CFR 720.30

CEPA - Domestic Substances List (DSL)

Page 7 of 8

Issue Date: 02/11/2013

All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

16. Other information

Product Literature

Additional information on this product may be obtained by calling your sales or customer service contact. Ask for a product brochure.

Hazard Rating System

NFPA

Health

Fire

Reactivity

0

Recommended Uses and Restrictions

Identified uses

Solvent for consumer and industrial applications.


Revision

Identification Number: 82587 / 1001 / Issue Date 02/11/2013 / Version: 3.0 Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

Federic	
N/A	Not available
WW	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

The Dow Chemical Company urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.



I T EUN	tes of America Protection Agency
A FAX FROM:	NEIC
TO: (b) (7)(C)	FAX NO.:
SUBJECT: Receipt of DiPPh	product
FROM: (b) (7)(C)	PHONE NO.: (b) (7)(C), (b) (6)
OFFICE: Lab Branch	FAX NO. FOR:
COMMENTS: Thomk you so much.	Everything was intact.
DATE and TIME: 5/1/14 // 30 am	NO. of PAGES: 2_

EPA Form 1315-18 (Rev. 5/97) (WebForms v1.0)

RECORD OF CUSTODY

TEST MATERIAL NAMEDipropylene Glycol Pheny	yl Ether (DiPPh)
LOT NUMBER:200602920-14	_
PHYSICAL STATE:Liquid	
STORAGE CONDITIONS: Ambient	
AMOUNT SUBMITTED: $26.77g$ (net)	
SENT BY:	DATE: <u>4-30-1</u> 4 -
RECEIVED BY: _	DATE: 5-1-14
PRINTED NAME:	_

KEEP THE SIGNED ORGINAL FOR YOUR RECORDS AND RETURN A VERIFIED EXACT COPY TO:

(b) (7)(C)

Dow Chemical Company 1803 Building Midland, MI 48674 Phone (989)638-7032 FAX (989)638-9305



Material Safety Data Sheet

The Dow Chemical Company

Product Name: Dipropylene Glycol Phenyl Ether (DiPPh)

Issue Date: 00/00/0000 Print Date: 29 Apr 2014

RESEARCH SAMPLE.

The Dow Chemical Company encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification

Product Name

Dipropylene Glycol Phenyl Ether (DiPPh)

COMPANY IDENTIFICATION

The Dow Chemical Company 2030 Willard H. Dow Center Midland, MI 48674 United States

Customer Information Number:

800-258-2436

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: Local Emergency Contact:

989-636-4400 989-636-4400

2. Hazards Identification

Emergency Overview

Color: Clear

Physical State: Liquid.

Odor: No information available.

Hazards of product:

No significant immediate hazards for emergency response are known.

OSHA Hazard Communication Standard

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: May cause slight temporary eye irritation. Corneal injury is unlikely. **Skin Contact:** Brief contact may cause slight skin irritation with local redness.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

®(TM)*Trademark

Product Name: Dipropylene Glycol Phenyl Ether (DiPPh)

Inhalation: At room temperature, vapors are minimal due to low volatility. Vapor from heated material or mist may be hazardous on single exposure. For respiratory irritation and narcotic effects: No relevant data found.

Issue Date: 00/00/0000

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

Aspiration hazard: Based on physical properties, not likely to be an aspiration hazard.

3. Composition Information

This product is a substance.

Component	CAS#	Amount
Dipropylene glycol phenyl ether	51730-94-0	100.0 %

4. First-aid measures

Description of first aid measures

General advice: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

Skin Contact: Wash skin with plenty of water. Suitable emergency safety shower facility should be available in work area.

Eye Contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

Ingestion: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of immediate medical attention and special treatment needed

Maintain adequate ventilation and oxygenation of the patient. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire Fighting Measures

Suitable extinguishing media

Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Extinguishing Media to Avoid: Do not use direct water stream. May spread fire.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose

holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Do not use direct water stream. May spread fire. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to

Issue Date: 00/00/0000

Accidental Release Measures

the relevant sections.

Personal precautions, protective equipment and emergency procedures: Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Collect in suitable and properly labeled containers. See Section 13, Disposal Considerations, for additional information.

7. Handling and Storage

Handling

General Handling: Spills of these organic materials on hot fibrous insulations may lead to lowering of the autoignition temperatures possibly resulting in spontaneous combustion. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Storage

Store in accordance with good manufacturing practices.

8. Exposure Controls / Personal Protection

Exposure Limits

None established

Personal Protection

Eye/Face Protection: Use safety glasses (with side shields).

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Hand protection: Use gloves chemically resistant to this material.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. Use an approved air-purifying respirator when vapors are generated at increased temperatures or when dust or mist is present.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Product Name: Dipropylene Glycol Phenyl Ether (DiPPh) Issue Date: 00/00/0000

Engineering Controls

Ventilation: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or quidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

9. **Physical and Chemical Properties**

Appearance

Physical State Liquid. Clear Color

No information available. Odor **Odor Threshold** No test data available

not applicable pН **Melting Point** Not available

No test data available **Freezing Point Boiling Point (760 mmHg)** > 290 °C (> 554 °F). Flash Point - Closed Cup Not available

Flash Point - Open Cup No test data available

Flammable Limits In Air Lower: No test data available Upper: No test data available < 0.001 mmHg @ 20 °C Vapor Pressure

Vapor Density (air = 1) Not available

Specific Gravity (H2O = 1) 1.041

Solubility in water (by no data available

weight)

Partition coefficient, n-1.73 Estimated.

octanol/water (log Pow)

Autoignition Temperature No test data available Decomposition No test data available

Temperature

Dynamic Viscosity No test data available

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions. See Storage, Section 7.

Possibility of hazardous reactions

Polymerization will not occur by itself.

Conditions to Avoid: Product can oxidize at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.

Incompatible Materials: Avoid contact with oxidizing materials. Avoid contact with: Strong acids. Strong bases. Avoid unintended contact with isocyanates. The reaction of polyols and isocyanates generates heat.

Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon dioxide. Alcohols. Ethers. Hydrocarbons. Ketones. Polymer fragments.

11. **Toxicological Information**

Acute Toxicity

Issue Date: 00/00/0000

Product Name: Dipropylene Glycol Phenyl Ether (DiPPh)

Ingestion

LD50, rat, female > 2,000 mg/kg

Dermal

LD50, rat, male and female > 2,000 mg/kg

No deaths occurred at this concentration.

Inhalation

The LC50 has not been determined.

Eye damage/eye irritation

May cause slight temporary eye irritation. Corneal injury is unlikely.

Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

Sensitization

Skin

No relevant data found.

Respiratory

No relevant data found.

Repeated Dose Toxicity

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Chronic Toxicity and Carcinogenicity

No relevant data found.

Developmental Toxicity

No relevant data found.

Reproductive Toxicity

No relevant data found.

Genetic Toxicology

No relevant data found.

12. Ecological Information

Toxicity

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 h: 204 mg/l

Aquatic Invertebrate Acute Toxicity

EC50, Daphnia magna (Water flea), static test, 48 h, immobilization: 336 mg/l

Aquatic Plant Toxicity

ErC50, Pseudokirchneriella subcapitata (green algae), Growth rate inhibition, 96 h: 188 mg/l

Persistence and Degradability

Material is expected to be readily biodegradable.

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
100 %	28 d	OECD 301F Test	pass

Bioaccumulative potential

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient, n-octanol/water (log Pow): 1.73 Estimated.

Bioconcentration Factor (BCF): < 1; Estimated.

Mobility in soil

Mobility in soil: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc between 0 and 50).

Page 5 of 7

Partition coefficient, soil organic carbon/water (Koc): 12.36 Estimated.

13. Disposal Considerations

NOTICE: Research sample for use by qualified personnel only. Upon completion of tests, dispose of material and container safely and in accord with federal, state/provincial and local laws and regulations. If further information is needed on disposal or use, consult The Dow Chemical Company.

14. Transport Information

DOT Non-Bulk

NOT REGULATED

IMDG

NOT REGULATED

ICAO/IATA

NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information

OSHA Hazard Communication Standard

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	No
Delayed (Chronic) Health Hazard	No
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

Product Name: Dipropylene Glycol Phenyl Ether (DiPPh)

Issue Date: 00/00/0000

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

US. Toxic Substances Control Act

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

16. Other Information

Recommended Uses and Restrictions

Identified uses

Research sample.

Revision

Identification Number: 1073434 / 0000 / Issue Date 00/00/0000 / Version: .0 Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
WW	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for
	activities such as exposure monitoring and medical surveillance if exceeded.

The Dow Chemical Company urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

Page 7 of 7

